


Pass Salesforce Sharing-and-Visibility-Architect Exam With Practice Test Questions Dumps Bundle [Q111-Q129]



Pass Salesforce Sharing-and-Visibility-Architect Exam With Practice Test Questions Dumps Bundle [Q111-Q129]

Pass Salesforce Sharing-and-Visibility-Architect Exam With Practice Test Questions Dumps Bundle
2022 Valid Sharing-and-Visibility-Architect test answers & Salesforce Exam PDF

Q111. The Collections department at Universal Containers uses Salesforce to track its efforts. All Invoices and Invoice Line Items are stored in Salesforce. Invoice Line Item object details, such as Quantity and Extended Amount, should be summarized at the Invoice Object level, and all users who can see a given invoice should always see all invoice line items. Without leveraging Apex code, how should an Architect create the relationship between the Invoice object and the Invoice Line Item Object?

- * The Invoice object should have a Master-Detail to the Invoice Line Item Object
- * The Invoice Line Item Object should have a Lookup to the Invoice Object
- * The Invoice Object should have an inner join to the Invoice Line Item Object
- * The Invoice Line Item Object should have a Master-Detail to the Invoice Object

Q112. Universal Containers has two custom objects: Job and Job Interview. The Job Interview object has a lookup relationship to Job. Both objects are set to Private in sharing settings. The HR team will own all Job and Job Interview records. They have asked their Salesforce Architect to automatically share the Job Interview when the Interviewer (lookup to user record) has been populated. The interviewer can be from any department. What method should the Architect use to achieve this requirement?

- * Build apex Managed Sharing code to share Job Interview with the Interviewer user
- * Build a criteria-based sharing rule between the Job Interview and the Interviewer
- * Build a standard sharing rule between Job Interview and the Interviewer
- * Build a workflow email notification to notify the interviewer of the record assignment

Q113. A custom ServiceFeedback object is used to collect partner feedback. ServiceFeedback records should be available to all internal employees. The OWD is set to Private for external users so partners cannot see feedback from other partner users.

How can the Architect give access to all internal employees?

- * Create a trigger on ServiceFeedback to change ownership to an internal employee.
- * Ensure all the internal users are above the partners in the role hierarchy.
- * Create an Owner based sharing rule for all ServiceFeedback records owned by Partners.
- * Set OWD, for Internal Users to Public Read Only.

Q114. Universal Containers regularly uploads large amounts of parent and child records into Salesforce to maintain integrations with other systems that update their data in scheduled batches or continuously in real time. Which two situations may pose a risk of producing locking errors? Choose 2 answers.

- * Updates to child records that have the same parent records are being processed simultaneously in separate transactions.
- * Updates to parent and child records are being processed in the same batch.
- * Updates to parent records and their child records being processed simultaneously in separate threads.
- * Updates to parent and child records are being processed synchronously in the same threads.

Q115. Universal Containers has a customer that meets criteria for two Enterprise Territory Management territories (Portugal and Southern Europe). What is necessary to assign opportunities to a territory for this account?

- * Create a process builder process that updates the territory field on the opportunity.
- * The territory with the highest territory type priority is automatically assigned to the opportunity.
- * Create an Apex class that implements Filter-Based Opportunity Territory Assignment.
- * Create a criteria-based sharing rule on the opportunity to assign it to a territory

Q116. By default, how many roles are created when the first external user is created on a partner account?

- * 0
- * 3
- * 2
- * 1

Q117. Universal Containers has a custom Job object with a private sharing model. Based on the size and location of the Job, different teams must have access to edit the specific Job record. To support this requirement, Apex Managed Sharing has been implemented to share records with the required users. Since the teams change frequently, managed sharing recalculations need to be manually run frequently. What can the Architect do to optimize this process?

- * Change the sharing model on the Job object to Public Read/Write.
- * Create a scheduled job to automatically run the sharing recalculations on a nightly basis.
- * Create public groups for each team, and share the jobs with the groups instead of users.
- * Create a custom Visualforce page to edit the jobs and specify Without Sharing on the controller.

Q118. What is the best practice for testing sharing and visibility changes?

- * Use Administrative and User reports to view the Active Users.
- * Use the Login As feature for a sample user in each role and profile.
- * Use Field Audit Trail to audit the field meta-data and visibility.
- * Use the Sharing button to test Profile and Permission set changes.

Q119. Universal Containers (UC) operates worldwide with offices in more than 100 regions in 10 different countries and has established a very complex role hierarchy to control data visibility. In the new fiscal year UC is planning to reorganize the roles and reassign accounts owners.

Which three features could an architect recommend to avoid problems on this operation? Choose 3 answers

- * Partition data using Divisions
- * Deferred Sharing Recalculation
- * Parallel Sharing Rule recalculation
- * Skinny table
- * Granular Locking

Q120. Universal Containers has created a custom Sales Operations profile with read and edit access to the Category field on a custom object. There is a new requirement that 3 of the 100 users assigned to the Sales Operations Profile should have read-only access to the Category field.

How can the Architect support this request?

Choose one answer:

- * Create a permission set in the Category field to read-only and assign it to the users.
- * Create a new profile without edit access to Category and assign it to the users.
- * Create a new page layout with the Category Field set to read-only for these users.
- * Create a custom permission to grant read-only access to Category and assign it to the users.

Q121. Universal Containers has implemented a strict software architecture for their custom Apex code. One of the requirements is that all SOQL queries are contained within reusable classes. Depending on the context of the Apex transaction, the queries should be able to run either `With Sharing`; or `Without Sharing`; . Which two ways allow the Architect to meet these requirements?

Choose 2 answers.

- * Create a reusable SOQLQueries class; do not specify `With`; or `Without Sharing`; on the SOQLQueries class.
- * Create a reusable SOQLQueries class; do not specify `With`; or `Without Sharing`; on the SOQLQueries class and use the `runAs()` method to dynamically set the context.
- * Create a reusable SOQLQueries class; specify `With Sharing`; on the methods that require user context and `Without Sharing`; on the methods requiring system context.
- * Create a SystemSOQLQueries class and a UserSOQLQueries class; set the `With Sharing`; keyword on the UserSOQLQueries class and `Without Sharing`; on the SystemSOQLQueries class.

Q122. In order to allow community users to collaborate on Opportunities, which license type must the users.

- * Sales Community
- * Customer Community
- * Partner Community
- * Customer Community plus

Q123. What advanced tool can Salesforce enable for Large-scale role hierarchy realignments?

- * Set external organization-wide default to public read only
- * Skinny Table Indexing
- * Granular locking
- * Partitioning by Divisions

Q124. Universal Containers (UC) provides shipment tracking for its customers on a custom Shipment object. The .. yearly by the customers should be available on the Account record to the Marketing team, but the Marketing Shipment records.

What recommend should an Architect provide to accomplish this?

- * Public organization-wide default on Shipment, process builder, and lookup relationship to Account.

- * Private organization-Wide default on Shipment, rollup summary, and Master-Detail relationship to Account.
- * Controlled by Parent (Account) on Shipment, trigger, and trigger, and Master-Detail relationship to Account.
- * Private organization-wide default on Shipment, trigger, and Lookup relationship to Account,

Q125. Universal Containers (UC) has a custom object to track the internal net promoter score (NPS) for all ..

How can UC ensure that NPS records cannot be accessed by an individual employee's manager?

- * Create a criteria-based sharing rule to remove access to Manager role and above in the Role ..
- * Remove Create, Read, Edit and Delete from Manager Profiles and Permission sets.
- * Use Apex Sharing to remove NPS object share records for Manager profiles.
- * Set organization wide default to Private and uncheck the Access Using Hierarchies option for the NPS object

Q126. If OWD is Public Read Only, what are sharing access options

- * Read, – Read/Write

Q127. Universal Containers has set Partners users who will see records owned by partner users in roles below them in the hierarchy of which roles?

- * Executive, Manager, and User

Q128. Sales Operations at Universal Container (UC) wants to create the opens to fiber appropriates for center.

In which two ways can UC hide list that are not relevant to an individual use since there will be Choose 2 answers.

- * Share the list views with the appropriate queue.
- * Share the list views with the appropriate individual users.
- * Share the list views with the appropriate public group.
- * Share the list views with the appropriate role in the role hierarchy

Q129. How should the Architect ensure that OBJECT-LEVEL SECURITY is enforce within a custom Visualforce application that was a standard Apex controller on the Lead object?

- * Use the runAs() method to enforce user permissions in the Apex controller.
- * Use the Schema.DescribeSObjectResult.isAccessible() method in the Apex controller.
- * Use the {!\$ObjectType.lead.accessible} expression within the Visualforce page.
- * Use the “With Sharing” keyword when defining the Visualforce page.

Salesforce Sharing-and-Visibility-Architect Exam Syllabus Topics:

- TopicDetailsTopic 1- Describe the methods of validating the sharing and visibility- Demonstrate how views and folders can be segmented for different groups using out of box security featuresTopic 2- Demonstrate how to properly design unit tests to verify programmatic security solutions- Apply the relevant settings required for all the declarative platform security featuresTopic 3- Design a solution that leverages programmatic sharing functionalities to achieve a requirement- Given a particular customer's organization hierarchy describe the impact of role hierarchy on record sharingTopic 4- Describe how to minimize security risks in programmatic customizations- Given a particular customer scenario, have awareness of how Enterprise

Territory Management can (or cannot be applied) to resolve more complex security requirements
Topic 5- Describe how the security and sharing setup can be utilized to properly enforce record visibility- Given a customer's particular data storage and data residency requirements

Top Salesforce Sharing-and-Visibility-Architect Courses Online:

<https://www.examcollectionpass.com/Salesforce/Sharing-and-Visibility-Architect-practice-exam-dumps.html>