


[Q27-Q41] Top Avaya 71301X Courses Online - Updated [May-2023]



[Q27-Q41] Top Avaya 71301X Courses Online - Updated [May-2023]

Top Avaya 71301X Courses Online - Updated [May-2023]

71301X Practice Dumps - Verified By ExamcollectionPass Updated 68 Questions

How to Register for the Avaya 71301X Exam

Registering for the Avaya 71301X exam is easy. You can register online or at a Pearson VUE testing center. The process is the same regardless of whether you're taking the lab-based or the self-study version of this exam.

The first step is to create an account with Pearson VUE and select your preferred testing center. Then, you'll need to choose your time zone and indicate whether you prefer paper-based or computer-based testing.

NEW QUESTION 27

Which three steps are necessary to make a successful Implementation of Avaya Breeze WebRTC Snap-in? (Choose three.)

- * Load the Snap-in.
- * Download and Install WebRTC License file.
- * Busy and Release the WebRTC snap-in.
- * Manually configure the WebLM IP address in the WebRTC configuration attributes.
- * Install the Snap-in.

NEW QUESTION 28

To set Timers, URI Manipulation, and Header Manipulation that the Avaya Session Border Controller for Enterprise (SBCE) will use when signaling to the far-end server; a profile like `“avaya-ru”` is provided by default.

When configuring the Server Configuration, you must link to which type of Global profile?

- * Signaling
- * Routing
- * Topology Hiding
- * Server Interworking

NEW QUESTION 29

Which component converts WebRTC Media Stream to SIP Media Stream?

- * HTTP Reverse Proxy
- * Avaya Aura Media Server (AAMS)
- * STUN/TURN server
- * G.450/430 or G.650 Medpro board

NEW QUESTION 30

What identifies that the Avaya Breeze server is using Identity Certificates that have been signed by Avaya Aura System Manager (SMGR)?

- * if the Issuer Name states `“O=AVAYA, OU=MGMT, CN= System Manager CA”` for the Security Module SIP Identity Certificate
- * if the replication status is showing `‘Synchronized’` with a green background color
- * if a successfully installed WebRTC snap-in is used
- * if the Entity Link between Avaya Aura Session Manager (SM) and Avaya Breeze server is up

NEW QUESTION 31

For an Avaya SIP telephone, working as a Remote Worker via the Avaya Session Border Controller for Enterprise (SBCE), which IP address should be configured in the Server List of the one-X Communicator?

- * the SBCE Internal Interface allocated for Mobile Workspace Endpoint
- * the SBCE External Interface allocated for Mobile Workspace Endpoint
- * the Internal Avaya Aura Session Manager SM100 IP Address
- * the Avaya Aura Session Manager External Interface allocated for Mobile Workspace Endpoints.

NEW QUESTION 32

You are creating a SIP Entity for Avaya Aura Engagement Development Platform `–` EDP / Avaya Breeze.

What do you have to enter in the field labeled FQDN or IP Address?

- * the Management IP-Address or FQDN of the Avaya Breeze platform.
- * the SM100 IP-address or FQDN of the Avaya Breeze platform
- * the IP-Address or FQDN of Core Platform Cluster
- * the IP-Address or FQDN of general Purpose Cluster

NEW QUESTION 33

A company is deploying Avaya Session Border Controller for Enterprise (SBCE) to support SIP trunking.

What is the minimum number of IP-addresses they need to assign to the private and public Network Interface Cards (NICs)?

- * Two addresses are assigned to the private NIC and two addresses are assigned to the public NIC.
- * One address is assigned to the private NIC and one address is assigned to the public NIC.
- * Two addresses are assigned to the private NIC and one address is assigned to the public NIC.
- * One address is assigned to the private NIC and two addresses are assigned to the public NIC.

NEW QUESTION 34

In Avaya Aura Messaging (AAM) 6.3, how many Call Answering Ports can one Application Server support?

- * up to 100 Ports
- * up to 10 Ports
- * up to 1000 Ports
- * up to 10000 Ports

NEW QUESTION 35

Before SIP Trunking configuration can begin, which state must the Avaya Session Border Controller for Enterprise (SBCE) be in?

- * Registered
- * Provisioned
- * Commissioned
- * Ready

NEW QUESTION 36

Which statement about the SIP Entities to support single node Avaya Aura Presence Services is true?

- * Only one SIP Entity is built of Type = Presence Services, which uses the SM100 IP address of the Avaya Breeze node.
- * Only one SIP Entity is built of Type = Avaya Breeze, which uses the SM100 IP address of the Avaya Breeze node.
- * Two SIP Entities are built to the same SM100 IP address of each node. One is of type = Avaya Breeze, and the other is of Type = Presence Services.
- * Two SIP Entities are built to the same SM100 IP address of each node. One is of type = Avaya Breeze, and the other is of Type = Other.

NEW QUESTION 37

In Avaya Session Border Controller for Enterprise (SBCE), what is the default state of an Interface?

- * Deployed
- * Enabled
- * Disabled
- * Active

NEW QUESTION 38

Which Avaya Breeze Cluster type is the Avaya Aura Presence Services snap-in installed on?

- * Presence Services
- * Core Platform

- * General Purpose
- * IM_Presence

NEW QUESTION 39

Which statement describes Cross-Origin Resource Sharing (CORS)?

- * It allows for signaling-groups to be used by more than one trunk-group.
- * It is a W3C specification that allows cross-domain communication from the browser.
- * It is making DSP resources available regardless of the originating location of a call.
- * It is a network setup by which an Avaya Aura Media Server (AAMS) can be used by more than one Avaya Aura Communications Manager (CM).

NEW QUESTION 40

You want to multiplex all remote workers SIP messages to Avaya Aura Session Manager (SM) over the same TCP connection, rather than open a dedicated TCP connection for each user.

Which feature needs to be enabled for Avaya Session Border Controller for Enterprise (SBCE)?

- * the Enable Grooming feature in the Advanced tab of the Avaya Aura Session Manager (SM) Server Profile
- * the Enable Shared Control feature in the Signaling Interface.
- * the Stream Users Over Transport Link feature in the Signaling Interface
- * the Share Transport Link feature in the Advanced tab of the Avaya Aura Session Manager (SM) Server Profile

NEW QUESTION 41

In Avaya Aura Communication Manager (CM) for TSAPI, which type of CTI-link needs to be configured?

- * ASAI-IP
- * TSAPI-IP
- * ADJ-IP
- * DMCC-IP

New (2023) Avaya 71301X Exam Dumps: <https://www.examcollectionpass.com/AVAYA/71301X-practice-exam-dumps.html>